

**DWT6 10'-25000 COMPARTMENT**  
**24,970 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	8	6 1/8	470	12 1/8	1,272	18 1/8	2,299	24 1/8	3,497
1/4	12	6 1/4	483	12 1/4	1,292	18 1/4	2,323	24 1/4	3,524
3/8	16	6 3/8	497	12 3/8	1,311	18 3/8	2,346	24 3/8	3,550
1/2	20	6 1/2	512	12 1/2	1,331	18 1/2	2,370	24 1/2	3,577
5/8	25	6 5/8	526	12 5/8	1,350	18 5/8	2,393	24 5/8	3,603
3/4	31	6 3/4	540	12 3/4	1,370	18 3/4	2,417	24 3/4	3,630
7/8	36	6 7/8	555	12 7/8	1,390	18 7/8	2,441	24 7/8	3,657
1	42	7	570	13	1,410	19	2,464	25	3,684
1 1/8	48	7 1/8	584	13 1/8	1,430	19 1/8	2,488	25 1/8	3,711
1 1/4	55	7 1/4	599	13 1/4	1,450	19 1/4	2,512	25 1/4	3,738
1 3/8	62	7 3/8	614	13 3/8	1,470	19 3/8	2,536	25 3/8	3,765
1 1/2	69	7 1/2	630	13 1/2	1,490	19 1/2	2,560	25 1/2	3,792
1 5/8	76	7 5/8	645	13 5/8	1,511	19 5/8	2,584	25 5/8	3,819
1 3/4	84	7 3/4	660	13 3/4	1,531	19 3/4	2,609	25 3/4	3,846
1 7/8	91	7 7/8	676	13 7/8	1,552	19 7/8	2,633	25 7/8	3,873
2	99	8	692	14	1,572	20	2,657	26	3,900
2 1/8	108	8 1/8	708	14 1/8	1,593	20 1/8	2,682	26 1/8	3,928
2 1/4	116	8 1/4	723	14 1/4	1,614	20 1/4	2,706	26 1/4	3,955
2 3/8	125	8 3/8	740	14 3/8	1,635	20 3/8	2,731	26 3/8	3,983
2 1/2	134	8 1/2	756	14 1/2	1,656	20 1/2	2,755	26 1/2	4,010
2 5/8	143	8 5/8	772	14 5/8	1,677	20 5/8	2,780	26 5/8	4,038
2 3/4	152	8 3/4	788	14 3/4	1,698	20 3/4	2,805	26 3/4	4,065
2 7/8	162	8 7/8	805	14 7/8	1,719	20 7/8	2,830	26 7/8	4,093
3	171	9	822	15	1,740	21	2,855	27	4,120
3 1/8	181	9 1/8	838	15 1/8	1,762	21 1/8	2,879	27 1/8	4,148
3 1/4	191	9 1/4	855	15 1/4	1,783	21 1/4	2,905	27 1/4	4,176
3 3/8	202	9 3/8	872	15 3/8	1,805	21 3/8	2,930	27 3/8	4,204
3 1/2	212	9 1/2	889	15 1/2	1,826	21 1/2	2,955	27 1/2	4,232
3 5/8	223	9 5/8	906	15 5/8	1,848	21 5/8	2,980	27 5/8	4,260
3 3/4	234	9 3/4	924	15 3/4	1,870	21 3/4	3,005	27 3/4	4,288
3 7/8	245	9 7/8	941	15 7/8	1,892	21 7/8	3,031	27 7/8	4,316
4	256	10	959	16	1,914	22	3,056	28	4,344
4 1/8	267	10 1/8	976	16 1/8	1,936	22 1/8	3,081	28 1/8	4,372
4 1/4	279	10 1/4	994	16 1/4	1,958	22 1/4	3,107	28 1/4	4,400
4 3/8	290	10 3/8	1,012	16 3/8	1,980	22 3/8	3,133	28 3/8	4,428
4 1/2	302	10 1/2	1,030	16 1/2	2,003	22 1/2	3,158	28 1/2	4,457
4 5/8	314	10 5/8	1,048	16 5/8	2,025	22 5/8	3,184	28 5/8	4,485
4 3/4	326	10 3/4	1,066	16 3/4	2,047	22 3/4	3,210	28 3/4	4,514
4 7/8	338	10 7/8	1,084	16 7/8	2,070	22 7/8	3,236	28 7/8	4,542
5	351	11	1,103	17	2,093	23	3,261	29	4,570
5 1/8	363	11 1/8	1,121	17 1/8	2,115	23 1/8	3,287	29 1/8	4,599
5 1/4	376	11 1/4	1,140	17 1/4	2,138	23 1/4	3,313	29 1/4	4,628
5 3/8	389	11 3/8	1,158	17 3/8	2,161	23 3/8	3,339	29 3/8	4,656
5 1/2	402	11 1/2	1,177	17 1/2	2,184	23 1/2	3,366	29 1/2	4,685
5 5/8	415	11 5/8	1,196	17 5/8	2,207	23 5/8	3,392	29 5/8	4,714
5 3/4	429	11 3/4	1,215	17 3/4	2,230	23 3/4	3,418	29 3/4	4,742
5 7/8	442	11 7/8	1,234	17 7/8	2,253	23 7/8	3,444	29 7/8	4,771
6	456	12	1,253	18	2,276	24	3,471	30	4,800

**DWT6 10'-25000 COMPARTMENT**  
**24,970 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	4,829	36 1/8	6,266	42 1/8	7,783	48 1/8	9,359	54 1/8	10,973
30 1/4	4,858	36 1/4	6,297	42 1/4	7,816	48 1/4	9,393	54 1/4	11,007
30 3/8	4,887	36 3/8	6,328	42 3/8	7,848	48 3/8	9,426	54 3/8	11,041
30 1/2	4,916	36 1/2	6,359	42 1/2	7,880	48 1/2	9,459	54 1/2	11,074
30 5/8	4,945	36 5/8	6,390	42 5/8	7,913	48 5/8	9,493	54 5/8	11,108
30 3/4	4,974	36 3/4	6,421	42 3/4	7,945	48 3/4	9,526	54 3/4	11,142
30 7/8	5,003	36 7/8	6,452	42 7/8	7,978	48 7/8	9,559	54 7/8	11,176
31	5,033	37	6,483	43	8,010	49	9,593	55	11,210
31 1/8	5,062	37 1/8	6,514	43 1/8	8,043	49 1/8	9,626	55 1/8	11,244
31 1/4	5,091	37 1/4	6,545	43 1/4	8,075	49 1/4	9,659	55 1/4	11,278
31 3/8	5,121	37 3/8	6,576	43 3/8	8,108	49 3/8	9,693	55 3/8	11,312
31 1/2	5,150	37 1/2	6,607	43 1/2	8,140	49 1/2	9,726	55 1/2	11,346
31 5/8	5,179	37 5/8	6,639	43 5/8	8,173	49 5/8	9,760	55 5/8	11,380
31 3/4	5,209	37 3/4	6,670	43 3/4	8,205	49 3/4	9,793	55 3/4	11,414
31 7/8	5,238	37 7/8	6,701	43 7/8	8,238	49 7/8	9,827	55 7/8	11,448
32	5,268	38	6,733	44	8,271	50	9,860	56	11,482
32 1/8	5,298	38 1/8	6,764	44 1/8	8,303	50 1/8	9,894	56 1/8	11,516
32 1/4	5,327	38 1/4	6,795	44 1/4	8,336	50 1/4	9,927	56 1/4	11,550
32 3/8	5,357	38 3/8	6,827	44 3/8	8,369	50 3/8	9,961	56 3/8	11,584
32 1/2	5,387	38 1/2	6,858	44 1/2	8,401	50 1/2	9,995	56 1/2	11,618
32 5/8	5,416	38 5/8	6,890	44 5/8	8,434	50 5/8	10,028	56 5/8	11,651
32 3/4	5,446	38 3/4	6,921	44 3/4	8,467	50 3/4	10,062	56 3/4	11,685
32 7/8	5,476	38 7/8	6,953	44 7/8	8,500	50 7/8	10,095	56 7/8	11,719
33	5,506	39	6,984	45	8,532	51	10,129	57	11,753
33 1/8	5,536	39 1/8	7,016	45 1/8	8,565	51 1/8	10,163	57 1/8	11,787
33 1/4	5,566	39 1/4	7,048	45 1/4	8,598	51 1/4	10,196	57 1/4	11,821
33 3/8	5,596	39 3/8	7,079	45 3/8	8,631	51 3/8	10,230	57 3/8	11,856
33 1/2	5,626	39 1/2	7,111	45 1/2	8,664	51 1/2	10,263	57 1/2	11,890
33 5/8	5,656	39 5/8	7,143	45 5/8	8,697	51 5/8	10,297	57 5/8	11,924
33 3/4	5,686	39 3/4	7,175	45 3/4	8,730	51 3/4	10,331	57 3/4	11,958
33 7/8	5,716	39 7/8	7,206	45 7/8	8,763	51 7/8	10,365	57 7/8	11,992
34	5,747	40	7,238	46	8,796	52	10,398	58	12,026
34 1/8	5,777	40 1/8	7,270	46 1/8	8,829	52 1/8	10,432	58 1/8	12,060
34 1/4	5,807	40 1/4	7,302	46 1/4	8,862	52 1/4	10,466	58 1/4	12,094
34 3/8	5,837	40 3/8	7,334	46 3/8	8,895	52 3/8	10,499	58 3/8	12,128
34 1/2	5,868	40 1/2	7,366	46 1/2	8,928	52 1/2	10,533	58 1/2	12,162
34 5/8	5,898	40 5/8	7,398	46 5/8	8,961	52 5/8	10,567	58 5/8	12,196
34 3/4	5,929	40 3/4	7,430	46 3/4	8,994	52 3/4	10,601	58 3/4	12,230
34 7/8	5,959	40 7/8	7,462	46 7/8	9,027	52 7/8	10,634	58 7/8	12,264
35	5,990	41	7,494	47	9,060	53	10,668	59	12,298
35 1/8	6,020	41 1/8	7,526	47 1/8	9,093	53 1/8	10,702	59 1/8	12,332
35 1/4	6,051	41 1/4	7,558	47 1/4	9,127	53 1/4	10,736	59 1/4	12,366
35 3/8	6,081	41 3/8	7,590	47 3/8	9,160	53 3/8	10,770	59 3/8	12,400
35 1/2	6,112	41 1/2	7,622	47 1/2	9,193	53 1/2	10,804	59 1/2	12,434
35 5/8	6,143	41 5/8	7,654	47 5/8	9,226	53 5/8	10,837	59 5/8	12,468
35 3/4	6,174	41 3/4	7,687	47 3/4	9,259	53 3/4	10,871	59 3/4	12,502
35 7/8	6,204	41 7/8	7,719	47 7/8	9,293	53 7/8	10,905	59 7/8	12,536
36	6,235	42	7,751	48	9,326	54	10,939	60	12,570

**DWT6 10'-25000 COMPARTMENT**  
**24,970 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	12,604	66 1/8	14,234	72 1/8	15,844	78 1/8	17,412	84 1/8	18,919
60 1/4	12,638	66 1/4	14,268	72 1/4	15,877	78 1/4	17,444	84 1/4	18,950
60 3/8	12,672	66 3/8	14,302	72 3/8	15,910	78 3/8	17,476	84 3/8	18,981
60 1/2	12,706	66 1/2	14,336	72 1/2	15,943	78 1/2	17,508	84 1/2	19,011
60 5/8	12,740	66 5/8	14,370	72 5/8	15,976	78 5/8	17,541	84 5/8	19,042
60 3/4	12,774	66 3/4	14,403	72 3/4	16,009	78 3/4	17,573	84 3/4	19,072
60 7/8	12,809	66 7/8	14,437	72 7/8	16,042	78 7/8	17,604	84 7/8	19,102
61	12,843	67	14,471	73	16,075	79	17,636	85	19,133
61 1/8	12,877	67 1/8	14,505	73 1/8	16,108	79 1/8	17,668	85 1/8	19,163
61 1/4	12,911	67 1/4	14,538	73 1/4	16,141	79 1/4	17,700	85 1/4	19,193
61 3/8	12,945	67 3/8	14,572	73 3/8	16,174	79 3/8	17,732	85 3/8	19,224
61 1/2	12,979	67 1/2	14,606	73 1/2	16,207	79 1/2	17,764	85 1/2	19,254
61 5/8	13,013	67 5/8	14,639	73 5/8	16,240	79 5/8	17,796	85 5/8	19,284
61 3/4	13,047	67 3/4	14,673	73 3/4	16,273	79 3/4	17,827	85 3/4	19,314
61 7/8	13,081	67 7/8	14,707	73 7/8	16,306	79 7/8	17,859	85 7/8	19,344
62	13,115	68	14,740	74	16,339	80	17,891	86	19,374
62 1/8	13,149	68 1/8	14,774	74 1/8	16,372	80 1/8	17,923	86 1/8	19,404
62 1/4	13,183	68 1/4	14,808	74 1/4	16,405	80 1/4	17,954	86 1/4	19,434
62 3/8	13,217	68 3/8	14,841	74 3/8	16,438	80 3/8	17,986	86 3/8	19,464
62 1/2	13,251	68 1/2	14,875	74 1/2	16,471	80 1/2	18,017	86 1/2	19,494
62 5/8	13,285	68 5/8	14,909	74 5/8	16,503	80 5/8	18,049	86 5/8	19,524
62 3/4	13,319	68 3/4	14,942	74 3/4	16,536	80 3/4	18,080	86 3/4	19,554
62 7/8	13,353	68 7/8	14,976	74 7/8	16,569	80 7/8	18,112	86 7/8	19,584
63	13,387	69	15,009	75	16,602	81	18,143	87	19,613
63 1/8	13,421	69 1/8	15,043	75 1/8	16,634	81 1/8	18,175	87 1/8	19,643
63 1/4	13,455	69 1/4	15,076	75 1/4	16,667	81 1/4	18,206	87 1/4	19,673
63 3/8	13,489	69 3/8	15,110	75 3/8	16,700	81 3/8	18,238	87 3/8	19,702
63 1/2	13,523	69 1/2	15,143	75 1/2	16,732	81 1/2	18,269	87 1/2	19,732
63 5/8	13,557	69 5/8	15,177	75 5/8	16,765	81 5/8	18,300	87 5/8	19,761
63 3/4	13,591	69 3/4	15,210	75 3/4	16,798	81 3/4	18,332	87 3/4	19,791
63 7/8	13,624	69 7/8	15,244	75 7/8	16,830	81 7/8	18,363	87 7/8	19,820
64	13,658	70	15,277	76	16,863	82	18,394	88	19,850
64 1/8	13,692	70 1/8	15,311	76 1/8	16,895	82 1/8	18,425	88 1/8	19,879
64 1/4	13,726	70 1/4	15,344	76 1/4	16,928	82 1/4	18,456	88 1/4	19,908
64 3/8	13,760	70 3/8	15,378	76 3/8	16,960	82 3/8	18,487	88 3/8	19,938
64 1/2	13,794	70 1/2	15,411	76 1/2	16,993	82 1/2	18,519	88 1/2	19,967
64 5/8	13,828	70 5/8	15,444	76 5/8	17,025	82 5/8	18,550	88 5/8	19,996
64 3/4	13,862	70 3/4	15,478	76 3/4	17,057	82 3/4	18,581	88 3/4	20,025
64 7/8	13,896	70 7/8	15,511	76 7/8	17,090	82 7/8	18,612	88 7/8	20,054
65	13,930	71	15,544	77	17,122	83	18,643	89	20,083
65 1/8	13,964	71 1/8	15,578	77 1/8	17,155	83 1/8	18,673	89 1/8	20,112
65 1/4	13,997	71 1/4	15,611	77 1/4	17,187	83 1/4	18,704	89 1/4	20,141
65 3/8	14,031	71 3/8	15,644	77 3/8	17,219	83 3/8	18,735	89 3/8	20,170
65 1/2	14,065	71 1/2	15,678	77 1/2	17,251	83 1/2	18,766	89 1/2	20,199
65 5/8	14,099	71 5/8	15,711	77 5/8	17,284	83 5/8	18,797	89 5/8	20,228
65 3/4	14,133	71 3/4	15,744	77 3/4	17,316	83 3/4	18,827	89 3/4	20,257
65 7/8	14,167	71 7/8	15,777	77 7/8	17,348	83 7/8	18,858	89 7/8	20,285
66	14,201	72	15,810	78	17,380	84	18,889	90	20,314

**DWT6 10'-25000 COMPARTMENT**  
**24,970 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	20,343	96 1/8	21,657	102 1/8	22,832	108 1/8	23,831	114 1/8	24,594
90 1/4	20,371	96 1/4	21,683	102 1/4	22,855	108 1/4	23,849	114 1/4	24,607
90 3/8	20,400	96 3/8	21,709	102 3/8	22,878	108 3/8	23,868	114 3/8	24,619
90 1/2	20,428	96 1/2	21,735	102 1/2	22,900	108 1/2	23,886	114 1/2	24,632
90 5/8	20,457	96 5/8	21,761	102 5/8	22,923	108 5/8	23,904	114 5/8	24,644
90 3/4	20,485	96 3/4	21,786	102 3/4	22,945	108 3/4	23,922	114 3/4	24,656
90 7/8	20,513	96 7/8	21,812	102 7/8	22,968	108 7/8	23,940	114 7/8	24,668
91	20,542	97	21,838	103	22,990	109	23,958	115	24,680
91 1/8	20,570	97 1/8	21,863	103 1/8	23,012	109 1/8	23,976	115 1/8	24,692
91 1/4	20,598	97 1/4	21,889	103 1/4	23,034	109 1/4	23,994	115 1/4	24,703
91 3/8	20,626	97 3/8	21,914	103 3/8	23,056	109 3/8	24,012	115 3/8	24,715
91 1/2	20,654	97 1/2	21,940	103 1/2	23,078	109 1/2	24,029	115 1/2	24,726
91 5/8	20,683	97 5/8	21,965	103 5/8	23,100	109 5/8	24,046	115 5/8	24,737
91 3/4	20,711	97 3/4	21,990	103 3/4	23,122	109 3/4	24,064	115 3/4	24,747
91 7/8	20,738	97 7/8	22,015	103 7/8	23,144	109 7/8	24,081	115 7/8	24,758
92	20,766	98	22,041	104	23,165	110	24,098	116	24,769
92 1/8	20,794	98 1/8	22,066	104 1/8	23,187	110 1/8	24,115	116 1/8	24,779
92 1/4	20,822	98 1/4	22,091	104 1/4	23,208	110 1/4	24,132	116 1/4	24,789
92 3/8	20,850	98 3/8	22,116	104 3/8	23,230	110 3/8	24,149	116 3/8	24,799
92 1/2	20,877	98 1/2	22,141	104 1/2	23,251	110 1/2	24,165	116 1/2	24,809
92 5/8	20,905	98 5/8	22,165	104 5/8	23,272	110 5/8	24,182	116 5/8	24,818
92 3/4	20,933	98 3/4	22,190	104 3/4	23,294	110 3/4	24,198	116 3/4	24,827
92 7/8	20,960	98 7/8	22,215	104 7/8	23,315	110 7/8	24,215	116 7/8	24,836
93	20,988	99	22,239	105	23,336	111	24,231	117	24,845
93 1/8	21,015	99 1/8	22,264	105 1/8	23,356	111 1/8	24,247	117 1/8	24,854
93 1/4	21,042	99 1/4	22,288	105 1/4	23,377	111 1/4	24,263	117 1/4	24,863
93 3/8	21,070	99 3/8	22,313	105 3/8	23,398	111 3/8	24,279	117 3/8	24,871
93 1/2	21,097	99 1/2	22,337	105 1/2	23,419	111 1/2	24,294	117 1/2	24,879
93 5/8	21,124	99 5/8	22,362	105 5/8	23,439	111 5/8	24,310	117 5/8	24,887
93 3/4	21,151	99 3/4	22,386	105 3/4	23,460	111 3/4	24,325	117 3/4	24,894
93 7/8	21,179	99 7/8	22,410	105 7/8	23,480	111 7/8	24,341	117 7/8	24,901
94	21,206	100	22,434	106	23,500	112	24,356	118	24,909
94 1/8	21,233	100 1/8	22,458	106 1/8	23,520	112 1/8	24,371	118 1/8	24,915
94 1/4	21,260	100 1/4	22,482	106 1/4	23,540	112 1/4	24,386	118 1/4	24,922
94 3/8	21,286	100 3/8	22,506	106 3/8	23,560	112 3/8	24,401	118 3/8	24,928
94 1/2	21,313	100 1/2	22,530	106 1/2	23,580	112 1/2	24,415	118 1/2	24,934
94 5/8	21,340	100 5/8	22,553	106 5/8	23,600	112 5/8	24,430	118 5/8	24,940
94 3/4	21,367	100 3/4	22,577	106 3/4	23,620	112 3/4	24,444	118 3/4	24,945
94 7/8	21,393	100 7/8	22,601	106 7/8	23,640	112 7/8	24,459	118 7/8	24,950
95	21,420	101	22,624	107	23,659	113	24,473	119	24,954
95 1/8	21,447	101 1/8	22,647	107 1/8	23,679	113 1/8	24,487	119 1/8	24,958
95 1/4	21,473	101 1/4	22,671	107 1/4	23,698	113 1/4	24,501	119 1/4	24,962
95 3/8	21,499	101 3/8	22,694	107 3/8	23,717	113 3/8	24,514	119 3/8	24,965
95 1/2	21,526	101 1/2	22,717	107 1/2	23,736	113 1/2	24,528	119 1/2	24,968
95 5/8	21,552	101 5/8	22,740	107 5/8	23,755	113 5/8	24,542	119 5/8	24,970
95 3/4	21,578	101 3/4	22,763	107 3/4	23,774	113 3/4	24,555		
95 7/8	21,605	101 7/8	22,786	107 7/8	23,793	113 7/8	24,568		
96	21,631	102	22,809	108	23,812	114	24,581		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.